



INNOVATION AND EXCELLENCE SINCE 1992

Customer: **SMART**
CERTIFICATE ANALYSIS PRODUCT FINISHED
 Product: **DIMAGNESIUM MALATE 120 CP** Code **LU918**
 N°PNT Reference **MAPA LU918** Batch/N°analysis: **2201 10 2025**

CONCEPT		RESULTS		
Presentation		120 tablets of Dimagnesium Malate on Storages		
Date Fabrication		OCTOBER 2022		
Analyses of samples		As documents in process		
Expire day		OCTOBER 2025		
Production order number		222.592		
Bottling order number		222.592		
Raw Material certificate inspection		Correct		
Bottling Material inspection		Correct		
Process certificates review		Correct		
	Analysis	Méthod	Specifications	Results
Organoleptics properties	Aspect	Visual Control	Tablets	Correct
	Odor	Olfactory Control	Not odor.	Correct
	Taste	Taste Control	Not odor.	Correct
	Colour	Visual Control	White/Beige.	Correct
Physichal-chemical Parameters	Average	Average	$\geq 1140 \leq 1260$ mg.	1212 mg.
	Uniformity mass	F. Eur 3 ^a ed., 2.9.5.	$\geq 1140 \leq 1260$ mg.	1203 mg.
	Height	Pié de rey	$\geq 5,0 \leq 5,3$	5,2 mm
	Hardness	FEE007	$\geq 4 \leq 7$	4 Kp
	Wet	FEE011 60°C 60 hPa 2h	$\leq 6 \%$	4 %
	Friability	FEE025	$\leq 1\%$	0,4 %
	Time dispersion	Water very hot	≤ 8 min.	4 min.
Packaging	Aspect Storage	Visual Control	White	Correct
	N° tablets/storage	Visual Control	120	Correct
	N° Storages/Box	Visual Control	73	Correct
Marking Label	Batch/ Expire day	Control Visual	2201 10 2025 MAGNESIUM MALATE	Correct
	Printer	Control Visual		Correct
Quantities	Ingredients mg./cáp:	As specifications Customer.		
Units per box	73 Storages in a Box.			Correct
Units	Results: 4104 storages.			
Preservation	Dry place and To keep out of light			

Date: 02/11/2022