

# SuperSmart®

## CERTIFICATE OF ANALYSIS

Name of Product : Denta & Gingival Formula  
Lot Number : 110723  
Specification No : 0829  
Best-if-used-by : 07/26  
Checking of raw material analysis certificates: Conforms  
Presentation : Bottle

SAMPLE	SPECIFICATIONS	RESULTS
1- Appearance	Beige	Positive
2- Identification	Positive	Positive
3-No. of capsules/bottle	60	Conforms
4- Weight of capsule USP<2091>	555 mg. + - 5%	558 mg (average)
5-Size	'0' Veggie	Conforms


6- Less than 95 per gram USP<2021>		
Total plate count	<100,000 cfu/g	Conforms
Total yeast & mold	<10,000 cfu/g	Conforms
E. Coli	Negative	Negative
Salmonella	Negative	Negative

7- Pesticides	Negative	Negative
---------------	----------	----------

### 8- Chemical Analysis

Lead	0.0 mg/kg	0.0
Arsenic	0.0 mg/kg	0.0
Mercury	0.0 mg/kg	0.0

9- Time of Disintegration: in Simulated gastric Fluids USP <2040>	Less than 15 minutes	<15 min
---	----------------------	---------

  
\_\_\_\_\_  
Signature of Analyst

10/09/2023  
Date of Analysis

This product conforms to the above mentioned specifications and is suitable for human consumption. The product is manufactured in USA by a GMP certified lab.